

PRX-T[®]₃₃

ASSOCIATED WITH PDO THREADS



BEFORE APPLICATIONS



AFTER APPLICATIONS

ADVANTAGES

The oedema caused by PRX-T₃₃ forms a less vascularised cleavage plane, which promotes subsequent thread penetration and reduces pain and ecchymoses.

The PRX-T₃₃ components have a deep antiseptic infundibular action.

Results are immediately visible thanks to the deep hydration due to PRX-T₃₃. Patients are immediately satisfied.

This association boosts the production of type I and type III collagen, resulting in a more natural rejuvenation compared to threads alone. Moreover, it requires a lower number of PDO threads during subsequent treatments.

TREATMENT METHOD

- 1) Wash skin with a mild cleanser and dry well.
- 2) Apply PRX-T₃₃ manually with a massage carried out with a specific technique all over the area to be treated until fully absorbed.
- 3) Apply PRX-T₃₃ repeatedly, on average 3 times.
- 4) Implant polydioxanone threads.
- 5) Apply ice for a few minutes.

PROTOCOL

3 sessions weekly.

Session 1: PRX-T₃₃ + PDO threads > Session 2: PRX-T₃₃ alone > Session 3: PRX-T₃₃ alone



BEFORE APPLICATIONS



AFTER APPLICATIONS